

FluxTracer®

Flux Mapping Tool

Measurement Guidelines

REGENESIS® will provide a customized, pre-assembled FluxTracer device using the measurements provided in this form, which will rest within the targeted vertical interval of the tested monitoring well.


To ensure a successful FluxTracer installation, please follow the measurement guidelines when providing your well dimensions on the Well Evaluation Form.

Length Guide

All units in feet

Total Depth	1 Measured from top of well casing to bottom/silt
Water Table	2 Anticipated depth to water at time of installation
Depth to Top of Screen	3 Measured from top of well casing to top of screened interval
Start of target interval	4 Depth the device will begin at ⁱ

ⁱ For a 10' device in a well screened over 10', **3** = **4**.



FluxTracer®

Flux Mapping Tool


Example Installation

The FluxTracer device will be suspended approximately 6 inches above the bottom of the well. (Provided diagram not to scale.)

A current well depth is essential to ensure that the device does not get stuck in silt or other debris found at the bottom of the well.

i Remember to include the following (when available):

- Site map with groundwater monitoring wells
- Representative boring logs/cross sections
- Historical and current analytical tables
- Hydraulic parameters
- Geochemical data
- Potentiometric map



Well Evaluation Form

Site Information

Site Name

Customer Name and Company

Site Address

Receiving Address

Lead Regulatory Agency

Project Manager

Primary Contaminants of Concern

Phone

Email

Deployment Date

Wells Targeted for FluxTracer Installation

Using the included guidelines, fill in the table below:

Well ID	Contaminant Concentrations			Device Length (ft)
	CVOCs	>50µg/L	<50µg/L	N/A
	PFAS	>50ng/L	<50ng/L	N/A
	CVOCs	>50µg/L	<50µg/L	N/A
	PFAS	>50ng/L	<50ng/L	N/A
	CVOCs	>50µg/L	<50µg/L	N/A
	PFAS	>50ng/L	<50ng/L	N/A
	CVOCs	>50µg/L	<50µg/L	N/A
	PFAS	>50ng/L	<50ng/L	N/A
	CVOCs	>50µg/L	<50µg/L	N/A
	PFAS	>50ng/L	<50ng/L	N/A

Note: FluxTracer Devices are compatible with 2-inch Schedule 40 PVC Only

- 1** Total Depth (ft)
- 2** Depth to Water Table (ft)
- 3** Depth to Top of Screen (ft)
- 4** Start of Target Interval (ft)

Installation and Retrieval

Well ID	Installation Date/Time	Retrieval Date/Time

Important Information

- I have reviewed the Measurement Guidelines and Example Installation
- I confirm the target well(s) total depth has been measured within the past 3 months and is not obstructed to this reported depth.
- I acknowledge that REGENESIS is not responsible for devices that become stuck due to improperly reported well depths, materials, or dimensions.

Initials:

Form not complete without initials

Chain of Custody

Please fill out this section before returning FluxTracer devices to REGENESIS:

Relinquished By	Date/Time	Received By	Date/Time

Please submit completed form to lab@REGENESIS.com
For additional questions please contact (949) 366-8000