Issue date: 15-July-2022 Revision date: -Supersedes date: -Version number: 01



SAFETY DATA SHEET

1. Identification

| Product identifier | OPC Advanced® Pollete | | |
|----------------------------------|--|--|--|
| | ORC Advanced® Pellets | | |
| Other means of identification | None. | | |
| Recommended use of the chemi | Recommended use of the chemical and restrictions on use | | |
| Recommended use | Soil and Groundwater Remediation. | | |
| Restrictions on use | None known. | | |
| Details of manufacturer or impor | rter | | |
| Company name | REGENESIS | | |
| Address | 1011 Calle Sombra | | |
| | San Clemente, CA 92673 | | |
| | USA | | |
| General information | 949-366-8000 | | |
| E-mail | CustomerService@regenesis.com | | |
| Emergency phone number | For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call CHEMTREC 24/7 at: | | |
| Australia | 0011-1-703-527-3887 | | |
| International | +1 703-741-5970 | | |

2. Hazard(s) identification

Classification of the hazardous chemical

| Physical hazards | Oxidising solids | Category 2 |
|------------------|--|---|
| Health hazards | Skin corrosion/irritation | Category 1 |
| | Serious eye damage/eye irritation | Category 1 |
| | Specific target organ toxicity following single exposure | Category 3 respiratory tract irritation |

Label elements, including precautionary statements

| Hazard symbol(s) | | |
|---|--|--|
| | Flame over Corrosion Exclamation circle mark | |
| Signal word | Danger | |
| Hazard statement(s) | May intensify fire; oxidiser. Causes severe skin burns and eye damage. May cause respiratory irritation. | |
| Precautionary statement(s) | | |
| Prevention | Keep away from heat. Keep/Store away from clothing/combustible materials. Wear protective gloves/protective clothing/eye protection/face protection. | |
| Response | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. In case of fire: Use appropriate media for extinction. | |
| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. | |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. | |
| Supplemental information | None. | |
| Other hazards which do not result in classification | None known. | |

3. Composition/information on ingredients

Mixture

| unique identifiers | Concentration of ingredients |
|--------------------|--|
| 1305-79-9 | ≥ 65 |
| 1305-62-0 | ≤ 35 |
| 7758-11-4 | < 5 |
| 7778-77-0 | < 5 |
| - | < 3 |
| 7783-28-0 | < 1 |
| | - 1305-79-9 1305-62-0 7758-11-4 7778-77-0 - |

Composition comments

All concentrations are in percent by weight unless otherwise indicated.

4. First-aid measures

| Description of necessary first aid | d measures |
|--|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell. |
| Skin contact | If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. |
| Eye contact | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately. |
| Ingestion | Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Personal protection for first-aid responders | Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |
| Symptoms caused by exposure | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. |
| Medical attention and special treatment | Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed. |
| | |

5. Fire-fighting measures

| Extinguishing media Suitable extinguishing media | Water spray, fog (flooding amounts). Foam. Dry chemical powder. Carbon dioxide (CO2). |
|--|---|
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed. Combustion products may include: metal oxides. |
| Special protective equipment and precautions for fire fighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. |
| Hazchem code | None. |
| General fire hazards | May intensify fire; oxidiser. Contact with combustible material may cause fire. |
| Specific methods | Cool containers exposed to flames with water until well after the fire is out. |

6. Accidental release measures

| Personal precautions, protective equipment and emergency procedures | | |
|---|---|--|
| For non-emergency personnel | Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Do not touch or walk through spilled material. | |
| For emergency responders | Keep unnecessary personnel away. Keep away from clothing and other combustible materials. Ensure adequate ventilation. Avoid inhalation of dust. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. | |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. | |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Ventilate the contaminated area. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimise dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. Wear appropriate protective equipment and clothing during clean-up. Prevent product from entering drains. Stop the flow of material, if this is without risk. | |
| | Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water. | |
| | Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. | |
| | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. | |
| 7. Handling and storage | | |
| Precautions for safe handling | Minimise dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not get this material in contact with eyes. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Avoid contact with water and moisture. | |
| Conditions for safe storage, including any incompatibilities | Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see section 10 of the SDS). | |

8. Exposure controls and personal protection

Follow standard monitoring procedures.

Occupational exposure limits

Control parameters

| Туре | Value | Form |
|--------|--|---|
| TWA | 5 mg/m3 | |
| TWA | 10 mg/m3 | Inhalable dust. |
| | | |
| Туре | Value | |
| TWA | 5 mg/m3 | |
| (WELs) | | |
| Туре | Value | Form |
| STEL | 4 mg/m3 | Respirable fraction. |
| TWA | 5 mg/m3 | |
| | 1 mg/m3 | Respirable fraction. |
| - | TWA TWA TWA TWA (WELs) Type STEL | TWA 5 mg/m3 TWA 10 mg/m3 TWA 10 mg/m3 TWA 5 mg/m3 (WELs) Yalue STEL 4 mg/m3 TWA 5 mg/m3 |

| Components | Туре | Value | Form |
|-------------------------------------|---|--|-----------------------------|
| Calcium hydroxide (CAS 1305-62-0) | TWA | 1 mg/m3 | Inhalable fraction. |
| Proprietary | TWA | 4 mg/m3 | Inhalable dust. |
| Biological limit values | No biological exposure limits noted for the | ingredient(s). | |
| Appropriate engineering controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station and safety shower. | | |
| Individual protection measures | , for example personal protective equipme | nt (PPE) | |
| Eye/face protection | Use dust-tight, unvented chemical safety g | oggles when there is pot | ential for eye contact. |
| Skin protection | | | |
| Hand protection | Recommended gloves include rubber, neoprene, nitrile or viton. Frequent change is advisable. | | |
| Other | Wear appropriate chemical resistant clothing. | | |
| Respiratory protection | If engineering controls do not maintain airb limits (where applicable) or to an acceptabl been established), an approved respirator dust filter. | le level (in countries whe | re exposure limits have not |
| Thermal hazards | Wear appropriate thermal protective clothin | ıg, when necessary. | |
| Hygiene measures | Keep from contact with clothing and other or clothing promptly. Always observe good pe handling the material and before eating, dri and protective equipment to remove contar | ersonal hygiene measure inking, and/or smoking. | s, such as washing after |

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

9. Physical and chemical properties

| · · · · · · · · · · · · · · · · · · · | |
|--|---------------------------------------|
| Appearance | |
| Physical state | Solid. |
| Form | Tablet. |
| Colour | White to pale yellow. |
| Odour | Odourless. |
| Odour threshold | Not available. |
| рН | 12.5 (3% slurry/water) |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling | Not available. |
| range | |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Oxidizer. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not available. |
| Explosive limit – upper | Not available. |
| (%) | |
| Vapour pressure | Not available. |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Slightly soluble |
| Partition coefficient (n-octanol/water) | Not applicable, product is a mixture. |
| | |

| Auto-ignition temperature | Not available. | |
|--|-----------------|--|
| Decomposition temperature | 275 °C (527 °F) | |
| Viscosity | Not available. | |
| Other physical and chemical parameters | | |
| Explosive limit | Non-explosive. | |

Oxidising properties May intensify fire; oxidiser.

10. Stability and reactivity

| Reactivity | Greatly increases the burning rate of combustible materials. |
|---------------------------------------|--|
| Chemical stability | Decomposes on heating. Product may be unstable at temperatures above: 275°C/527°F. |
| Possibility of hazardous reactions | Reacts slowly with water. |
| Conditions to avoid | Moisture. Heat. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. |
| Incompatible materials | Acids. Bases. Combustible material. Reducing Agents. Salts of heavy metals. |
| Hazardous decomposition products | Oxygen. Hydrogen peroxide (H2O2). Steam. Heat. |

11. Toxicological information

Information on possible routes of exposure

| Inhalation | Dust may irritate respiratory system. |
|------------------------------|--|
| Skin contact | Causes severe skin burns. |
| Eye contact | Causes serious eye damage. |
| Ingestion | Causes digestive tract burns. |
| Symptoms related to exposure | Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. |

| Acute toxicity | Not known. | |
|---------------------------|----------------------------|------------------------|
| Components | Species | Test Results |
| Calcium hydroxide (CAS 13 | 305-62-0) | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rabbit | > 2500 mg/kg, 24 Hours |
| Inhalation | | |
| LC50 | Rat | 6.04 mg/l, 4 hours |
| Oral | | |
| LD50 | Rat | > 2000 mg/kg |
| Diammonium phosphate (C | CAS 7783-28-0) | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rat | > 5000 mg/kg |
| Inhalation | | |
| LD50 | Rat | > 5000 mg/m³ |
| Oral | | |
| LD50 | Rat | > 2000 mg/day |
| Dipotassium hydrogen orth | ophosphate (CAS 7758-11-4) | |
| Acute | , , | |
| Oral | | |
| LD50 | Rat | > 2000 mg/kg |

| Components | Species | | Test Results | |
|--|--|--|--|--|
| Proprietary (CAS -) | | | | |
| <u>Acute</u> | | | | |
| Oral | | | | |
| LD50 | Rat | | 6450 mg/kg | |
| Skin corrosion/irritation | Causes severe skin burns and eye damage. | | | |
| Serious eye damage/irritation | Causes ser | rious eye damage. | | |
| Respiratory or skin sensitisation | ì | | | |
| Respiratory sensitisation | Not a respiratory sensitiser. | | | |
| Skin sensitisation | This product is not expected to cause skin sensitisation. | | | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | | | |
| Carcinogenicity | Not available. | | | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | | | |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. | | | |
| Specific target organ toxicity - repeated exposure | Not classified. | | | |
| Aspiration hazard | Not an asp | iration hazard. | | |
| 12. Ecological information | | | | |
| Ecotoxicity | Harmful to | aquatic life. | | |
| Components | | Species | Test Results | |
| Calcium hydroxide (CAS 1305-62- | 0) | | | |
| Aquatic | | | | |
| 9.1 | EC50 | Algae | 184.57 mg/l, 72 hours | |
| Diammonium phosphate (CAS 778 Aquatic | 3-28-0) | | | |
| Crustacea | LC50 | Daphnia | 1790 mg/l, 72 hours | |
| Fish | LC50 | Carp, hawk fish (Cirrhinus mrigala) | 1700 mg/l, 96 hours | |
| Dipotassium hydrogen orthophosp Aquatic Acute | hate (CAS 7 | 758-11-4) | | |
| | EC50 | Pseudokirchneriella subcapitata | > 100 mg/l, 72 Hours | |
| | EC50 | Daphnia magna | 118.9 mg/l, 48 Hours | |
| | LC50 | Oryzias latipes | > 100 mg/l, 96 Hours | |
| Proprietary (CAS -) Aquatic Acute | | | | |
| | LC50 | Western mosquitofish (Gambusia affin | is) > 56000 mg/l, 96 Hours | |
| Persistence and degradability | Decomposes in the presence of water. The product contains inorganic compounds which are not biodegradable. | | | |
| Bioaccumulative potential | • | ct does not contain any substances expecte | ed to be bioaccumulating. | |
| Partition coefficient n-octanol / water (log Kow) | Not applicable, product is a mixture. | | | |
| Mobility in soil | This product has very low solubility in water and low mobility in the environment. | | | |
| Other adverse effects | None known. | | | |
| 13. Disposal consideration | IS | | | |
| Disposal methods | Collect and contents/co | I reclaim or dispose in sealed containers at | licensed waste disposal site. Dispose of | |

| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. |
|---|---|
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. |
| 14. Transport information | |
| ADG | |
| UN number | 1457 |
| UN proper shipping name | CALCIUM PEROXIDE |
| Transport hazard class(es) | |
| Class | 5.1 |
| Subsidiary risk | - |
| Packing group | 1 |
| Environmental hazards | No. |
| Hazchem code | 1Y |
| • • | Read safety instructions, SDS and emergency procedures before handling. |
| RID | |
| UN number | |
| UN proper shipping name | CALCIUM PEROXIDE |
| Transport hazard class(es) | - 4 |
| Class Subsidiems risk | 5.1 |
| Subsidiary risk Label(s) | - 5.1 |
| Packing group | |
| Environmental hazards | No. |
| | Read safety instructions, SDS and emergency procedures before handling. |
| ΙΑΤΑ | |
| UN number | 1457 |
| UN proper shipping name | Calcium peroxide |
| Transport hazard class(es) | |
| Class | 5.1 |
| Subsidiary risk | - |
| Packing group | |
| Environmental hazards | No. |
| ERG Code | 5L Read safety instructions, SDS and emergency procedures before handling. |
| IMDG | Read salety instructions, SDS and emergency procedures before nandling. |
| UN number | 1457 |
| UN proper shipping name | CALCIUM PEROXIDE |
| Transport hazard class(es) | |
| Class | 5.1 |
| Subsidiary risk | - |
| Packing group | II |
| Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-G, S-Q |
| | Read safety instructions, SDS and emergency procedures before handling. |
| Transport in bulk according to | Not applicable. |
| Annex II of MARPOL 73/78 and the IBC Code | |
| 15 Pogulatory information | |
| The Doculatory information | |

15. Regulatory information

Safety, health and environmental regulations

National regulationsThis Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the
preparation of Safety Data Sheets for Hazardous Chemicals (23/12/2011).

Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

```
Australia Medicines & Poisons Appendix B
```

Diammonium phosphate (CAS 7783-28-0)

```
Australia Medicines & Poisons Appendix D
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Appendix E
        Dipotassium hydrogen orthophosphate (CAS 7758-11-4)
        Potassium phosphate (monobasic) (CAS 7778-77-0)
    Australia Medicines & Poisons Appendix F
        Dipotassium hydrogen orthophosphate (CAS 7758-11-4)
        Potassium phosphate (monobasic) (CAS 7778-77-0)
    Australia Medicines & Poisons Appendix G
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Appendix H
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Appendix I
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Appendix J
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Appendix K
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Schedule 10
        Dipotassium hydrogen orthophosphate (CAS 7758-11-4)
        Potassium phosphate (monobasic) (CAS 7778-77-0)
    Australia Medicines & Poisons Schedule 2
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Schedule 3
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Schedule 4
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Schedule 5
        Dipotassium hydrogen orthophosphate (CAS 7758-11-4)
        Potassium phosphate (monobasic) (CAS 7778-77-0)
    Australia Medicines & Poisons Schedule 6
        Dipotassium hydrogen orthophosphate (CAS 7758-11-4)
        Potassium phosphate (monobasic) (CAS 7778-77-0)
    Australia Medicines & Poisons Schedule 7
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Schedule 8
        Poisons schedule number not allocated.
    Australia Medicines & Poisons Schedule 9
        Poisons schedule number not allocated.
    High Volume Industrial Chemicals (HVIC)
        Calcium hydroxide (CAS 1305-62-0)
                                                              10000 - 99999 TONNES See the regulation for additional
                                                              information.
                                                              1000 - 9999 TONNES See the regulation for additional
        Proprietary (CAS -)
                                                              information.
    Importation of Ozone Depleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10, as amended)
        Not listed.
    National Pollutant Inventory (NPI) substance reporting list
        Not listed.
    Prohibited Carcinogenic Substances
        Not regulated.
    Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2
    NOHSC:1005 (1994) as amended)
        Not listed.
    Restricted Carcinogenic Substances
        Not regulated.
    Restricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)
        Not listed.
International regulations
```

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable. Basel Convention

Calcium peroxide (CAS 1305-79-9)

International Inventories

| Country(s) or region | Inventory name On in | ventory (yes/no)* |
|-----------------------------------|--|-------------------|
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| *A "Vee" indicates that all compo | pronte of this product comply with the inventory requirements administered by the appendix | |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

15-July-2022

Revision date

Disclaimer

Issue date

Regenesis cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.