

SAFETY DATA SHEET

1. Identification

Product identifier	ORC Advanced® Pellets		
Other means of identification	None.		
Recommended use	Soil and Groundwater Remediation.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Company Name	REGENESIS		
Address	1011 Calle Sombra		
	San Clemente, CA 92673 USA		
General information	949-366-8000		
E-mail	CustomerService@regenesis.com		
Emergency phone number	For Dangerous Goods Incidents ONLY (spill, le CHEMTREC 24/7 at:	eak, fire, exposure or accident), call	
USA, Canada	1-800-424-9300		
International	+1 703-741-5970		
2. Hazard(s) identification			
Physical hazards	Oxidizing solids	Category 2	
Health hazards	Skin corrosion/irritation	Category 1	
	Serious eye damage/eye irritation	Category 1	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	

OSHA defined hazards

Label elements



Not classified.

Signal word	Danger	
Hazard statement	May intensify fire; oxidizer. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.	
Precautionary statement		
Prevention	Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust. Avoid breathing vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to extinguish.	
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

3. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name		CAS number	%
Calcium peroxide		1305-79-9	≥ 65
Calcium hydroxide		1305-62-0	≤ 35
Dipotassium hydrogen orthophosphate		7758-11-4	< 5
Potassium phosphate (monoba	sic)	7778-77-0	< 5
Proprietary		_	< 3
Diammonium phosphate		7783-28-0	< 1
Composition comments	All concentrations are in percent by weigh	t unless otherwise indicated.	
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.		
Skin contact	If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.		
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.		
General information	Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Water spray, fog (flooding amounts). Foar	n. Dry chemical powder. Carbon d	ioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed. Combustion products may include: metal oxides.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and fu	Il protective clothing must be worr	in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not bre so without risk. Use water spray to cool ur		fire area if you can do
Specific methods	Cool containers exposed to flames with w	ater until well after the fire is out.	
General fire hazards	May intensify fire; oxidizer. Contact with combustible material may cause fire.		
6. Accidental release meas	sures		

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away
protective equipment and	from clothing and other combustible materials. Wear appropriate protective equipment and
emergency procedures	clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there
	is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged
	containers or spilled material unless wearing appropriate protective clothing. Ensure adequate
	ventilation. Local authorities should be advised if significant spillages cannot be contained. For
	personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimize dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. Wear appropriate protective equipment and clothing during clean-up. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not get this material in contact with eyes. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid contact with water and moisture.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Calcium hydroxide (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 C	FR 1910.1000)		
Components	Туре	Value	Form
Proprietary	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
Proprietary	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
logical limit values	No biological exposure limits noted for the ingredient(s).		
oropriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station and safety shower.		

Individual protection measures, such as personal protective equipment

	, ener ne bereenne breteenne edwikmenne
Eye/face protection	Use dust-tight, unvented chemical safety goggles when there is potential for eye contact.
Skin protection	
Hand protection	Recommended gloves include rubber, neoprene, nitrile or viton. Frequent change is advisable.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Recommended use: Wear respirator with dust filter.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Tablet.
Color	White to pale yellow.
Odor	Odorless.
Odor threshold	Not available.
рН	12.5 (3% slurry/water)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Oxidizer.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Slightly soluble
Partition coefficient (n-octanol/water)	Not applicable, product is a mixture.
Auto-ignition temperature	Not available.
Decomposition temperature	527 °F (275 °C)
Viscosity	Not available.
Other information	
Explosive limit	Non-explosive.
Oxidizing properties	May intensify fire; oxidizer.
10. Stability and reactivity	
Reactivity	Greatly increases the burning rate of combustible materials.
Chemical stability	Decomposes on heating. Product may be unstable at temperatures above: 275°C/527°F.
Possibility of hazardous reactions	Reacts slowly with water.
Conditions to avoid	Moisture. Heat. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

Incompatible materials	Acids. Bases. Combustible material. Reducing agents. Salts of heavy metals.
Hazardous decomposition	Oxygen. Hydrogen peroxide (H2O2). Steam. Heat.
producis	

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species Test Results	
Calcium hydroxide (CAS 1305-62	2-0)	
Acute		
Dermal		
LD50	Rabbit	> 2500 mg/kg, 24 Hours
Inhalation		
LC50	Rat	6.04 mg/l, 4 hours
Oral	- /	
LD50	Rat	> 2000 mg/kg
Diammonium phosphate (CAS 77	783-28-0)	
<u>Acute</u>		
Dermal LD50	Rat	> 5000 mg/kg
	Rai	> 5000 mg/kg
Inhalation LD50	Rat	> 5000 mg/m³
	Nat	> 3000 mg/m
Oral LD50	Rat	> 2000 mg/day
Dipotassium hydrogen orthophos		2000 mg/ddy
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization	on	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin ser	isitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall Not listed.	Evaluation of Carcinogenicity	
NTP Report on Carcinogen	IS	
Not listed. OSHA Specifically Regulat	ed Substances (29 CFR 1910.1001-1053)	
Not listed.	· · · ·	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	

Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Not classified.

Aspiration hazard

Ecotoxicity

Not an aspiration hazard.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Since emptied containers may retain product residue, follow label warnings even after container is

Components		Species	Test Results	
Calcium hydroxide (CAS 130)5-62-0)			
Aquatic				
Algae	EC50	Algae	184.57 mg/l, 72 hours	
Diammonium phosphate (CA	S 7783-28-0)		
Aquatic				
Crustacea	LC50	Daphnia	1790 mg/l, 72 hours	
Fish	LC50	Carp, hawk fish (Cirrhinus mrigala)	1700 mg/l, 96 hours	
Dipotassium hydrogen orthol	phosphate (C	AS 7758-11-4)		
Aquatic				
Acute				
Algae	EC50	Pseudokirchneriella subcapitata	> 100 mg/l, 72 Hours	
Crustacea	EC50	Daphnia magna	118.9 mg/l, 48 Hours	
Fish	LC50	Oryzias latipes	> 100 mg/l, 96 Hours	
sistence and degradability		Decomposes in the presence of water. The product contains inorganic compounds which are not biodegradable.		
accumulative potential	The produ	The product does not contain any substances expected to be bioaccumulating.		
bility in soil	This produ	This product has very low solubility in water and low mobility in the environment.		
er adverse effects	None kno	None known.		
. Disposal consideratio	ons			
posal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
al disposal regulations	Dispose ir	Dispose in accordance with all applicable regulations.		
zardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
ste from residues / unused ducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.			
ntaminated packaging	Empty cor	Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. Transport information

DOT

UN number	UN1457
UN proper shipping name	Calcium peroxide
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Label(s)	5.1
Packing group	II
Environmental hazards	
Marine pollutant	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB6, IP2, T3, TP33, W100
Packaging exceptions	152
Packaging non bulk	212

emptied.

Packaging bulk	242		
ΙΑΤΑ			
UN number	UN1457		
UN proper shipping name	Calcium peroxide		
Transport hazard class(es)	F 4		
Class Subsidiary risk	5.1		
Subsidiary risk Packing group			
Environmental hazards	No.		
ERG Code	5L		
	Read safety instructions, SDS and emergency procedures before handling.		
IMDG			
UN number	UN1457		
UN proper shipping name	CALCIUM PEROXIDE		
Transport hazard class(es)			
Class	5.1		
Subsidiary risk	-		
Packing group	II		
Environmental hazards			
Marine pollutant	No.		
EmS	F-G, S-Q		
	Read safety instructions, SDS and emergency procedures before handling.		
Transport in bulk according to	Not applicable.		
Annex II of MARPOL 73/78 and the IBC Code			
15. Regulatory information	1		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)		
Not regulated. CERCLA Hazardous Sul	bstance List (40 CFR 302.4)		
Not listed.			
SARA 304 Emergency r	elease notification		
Not regulated. OSHA Specifically Regu	lated Substances (29 CFR 1910.1001-1053)		
Not listed.			
Toxic Substances Control A	ct (TSCA) All components of the mixture on the TSCA 8(b) inventory are designated "active".		
Superfund Amendments and Re	authorization Act of 1986 (SARA)		
SARA 302 Extremely hazard			
Not listed.			
SARA 311/312 Hazardous	Yes		
chemical			
Classified hazard	Oxidizer (liquid, solid, or gas)		
categories	Skin corrosion or irritation		
	Serious eye damage or eye irritation		
	Specific target organ toxicity (single or repeated exposure)		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
•	112 Hazardous Air Pollutants (HAPs) List		
Not regulated.			
•	112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated.			
Safe Drinking Water Act	Not regulated.		
(SDWA)	SD5 11		

US state regulations

US. Massachusetts RTK - Substance List

Calcium hydroxide (CAS 1305-62-0) Proprietary (CAS -)

US. New Jersey Worker and Community Right-to-Know Act

Calcium hydroxide (CAS 1305-62-0) Calcium peroxide (CAS 1305-79-9) Proprietary (CAS -)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium hydroxide (CAS 1305-62-0) Proprietary (CAS -)

US. Rhode Island RTK

Calcium hydroxide (CAS 1305-62-0) Proprietary (CAS -)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	14-February-2020
Revision date	15-July-2022
Version #	02
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 2
NFPA ratings	3 ox 1
Disclaimer	Regenesis cannot anticipate all conditi

Regenesis cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.