SAFETY DATA SHEET



1. Identification

Product identifier Oxygen Release Compound PRIMER (ORC® PRIMER)

Other means of identification None.

Recommended use Soil and Groundwater Remediation.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Regenesis

Address 1011 Calle Sombra

San Clemente, CA 92673 USA

General information 949-366-8000

E-mail CustomerService@regenesis.com

Emergency phone number For Hazardous Materials Incidents ONLY (spill, leak, fire, exposure or accident), call

CHEMTREC 24/7 at:

USA, Canada 1-800-424-9300 **International** 1-703-527-3887

2. Hazard(s) identification

Physical hazardsOxidizing solidsCategory 2Health hazardsSkin corrosion/irritationCategory 2

Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May intensify fire; oxidizer. Causes skin irritation. Causes serious eye damage. May cause

respiratory irritation.

Precautionary statement

Prevention Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution

to avoid mixing with combustibles. Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well ventilated area. Wear protective gloves/eye protection/face protection.

Response If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before

reuse. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Oxygen Release Compound PRIMER (ORC® PRIMER)
930769 Version #: 02 Revision date: 19-March-2021 Issue date: 14-February-2020

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Calcium peroxide	1305-79-9	≥ 85
Calcium hydroxide	1305-62-0	≤ 15
Proprietary		< 10

Composition comments

All concentrations are in percent by weight unless otherwise indicated.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact

IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Rinse skin with water/shower. If skin irritation occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Eye contact

Ingestion

contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Never give anything by mouth to a victim who is unconscious or is having convulsions. Rinse

Do not rub eves. Immediately flush eves with plenty of water for at least 15 minutes. Remove

mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water spray, fog (flooding amounts). Foam. Dry chemical powder. Carbon dioxide (CO2). None known.

Specific hazards arising from the chemical

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed. Combustion products may include: metal oxides.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Specific methods
General fire hazards

Cool containers exposed to flames with water until well after the fire is out.

May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

SDS US

930769 Version #: 02 Revision date: 19-March-2021 Issue date: 14-February-2020

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Collect dust using a vacuum cleaner equipped with HEPA filter. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Stop the flow of material, if this is without risk. Wear appropriate protective equipment and clothing during clean-up.

Large Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Shovel the material into waste container. Minimize dust generation and accumulation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Place all material into loosely covered plastic containers for later disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid contact with water and moisture. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

US OSHA Table 7.4 Limits for Air Conteminants (20 CED 4040 4000)

Occupational exposure limits

Components	Type	Value	Form
Calcium hydroxide (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values	S		
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3	

Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Use dust-tight, unvented chemical safety goggles when there is potential for eye contact.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Frequent change is advisable. Recommended gloves

include rubber, neoprene, nitrile or viton.

Skin protection

Other Wear appropriate chemical resistant clothing.

Oxygen Release Compound PRIMER (ORC® PRIMER)

SDS US

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Recommended use: Wear respirator with

dust filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Powder.

Color White to pale yellow.

Odor Odorless.

Odor threshold Not available.

pH 12.5 (3% suspension/water)

Melting point/freezing point Initial boiling point and boiling

range

Not available. Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Oxidizer.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Slightly soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperature527 °F (275 °C)ViscosityNot available.

Other information

Bulk density 0.5 - 0.9 g/ml **Explosive limit** Non-explosive.

Oxidizing properties May intensify fire; oxidizer.

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Decomposes on heating. Product may be unstable at temperatures above: 275°C/527°F.

Possibility of hazardous

reactions

Reacts slowly with water.

Conditions to avoid Heat. Moisture. Avoid temperatures exceeding the decomposition temperature. Contact with

incompatible materials.

Hazardous decomposition

products

Oxygen. Hydrogen peroxide (H2O2). Steam. Heat.

Oxygen Release Compound PRIMER (ORC® PRIMER)

930769 Version #: 02 Revision date: 19-March-2021 Issue date: 14-February-2020

11. Toxicological information

Information on likely routes of exposure

May cause respiratory irritation. Inhalation

Causes skin irritation. Skin contact

Causes serious eye damage. Eye contact

Ingestion may cause irritation and malaise. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory

tract, skin and eyes. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Calcium hydroxide (CAS 1305-62-0)

Acute Oral

LD50 Rat 7340 mg/kg

Proprietary

Acute Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the physical form of the product it is not expected to be an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results**

Calcium hydroxide (CAS 1305-62-0)

Aquatic

Acute

Fish LC50 Zambezi barbel (Clarias gariepinus) 33.9 mg/l, 96 hours

Oxygen Release Compound PRIMER (ORC® PRIMER) SDS US Issue date: 14-February-2020 5/8 Components Species Test Results

Proprietary

Aquatic

Acute

AlgaeEC50Pseudokirchneriella subcapitata> 100 mg/l, 72 HoursCrustaceaEC50Daphnia magna118.9 mg/l, 48 HoursFishLC50Oryzias latipes> 100 mg/l, 96 Hours

Persistence and degradability

Decomposes in the presence of water. The product contains inorganic compounds which are not

biodegradable.

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

This product has very low solubility in water and low mobility in the environment.

Other adverse effects None known.

13. Disposal considerations

Disposal instructions

Mobility in soil

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1457

UN proper shipping name

Calcium peroxide

Transport hazard class(es)

Class 5.1
Subsidiary risk Label(s) 5.1
Packing group II
Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB6, IP2, T3, TP33

Packaging exceptions152Packaging non bulk212Packaging bulk242

IATA

UN number UN1457

UN proper shipping name Ca

Transport hazard class(es)

Calcium peroxide

Class 5.1
Subsidiary risk Packing group ||

Environmental hazards No ERG Code 5L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1457

UN proper shipping name CALCIUM PEROXIDE

Transport hazard class(es)

Class 5.1 Subsidiary risk -Packing group II **Environmental hazards**

Marine pollutant No F-G, S-Q

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active"

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Oxidizer (liquid, solid, or gas) categories Skin corrosion or irritation

Yes

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Calcium hydroxide (CAS 1305-62-0)

US. New Jersey Worker and Community Right-to-Know Act

Calcium hydroxide (CAS 1305-62-0) Calcium peroxide (CAS 1305-79-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium hydroxide (CAS 1305-62-0)

US. Rhode Island RTK

Calcium hydroxide (CAS 1305-62-0)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

Oxygen Release Compound PRIMER (ORC® PRIMER)

International Inventories

Philippines

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information, including date of preparation or last revision

Issue date 14-February-2020
Revision date 19-March-2021

Version # 02

HMIS® ratings Health: 3

Flammability: 0 Physical hazard: 2

NFPA ratings



Disclaimer

Regenesis cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).