

SAFETY DATA SHEET

1. Identification

| Product identifier | PersulfOx® | |
|---------------------------------------|---|--|
| Other means of identification | None. | |
| Recommended use | Soil and Groundwater Remediation. | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/ | Distributor information | |
| Company Name | REGENESIS | |
| Address | 1011 Calle Sombra | |
| | San Clemente, CA 92673 USA | |
| General information | 949-366-8000 | |
| E-mail | CustomerService@regenesis.com | |
| Emergency phone number USA, Canada | For Dangerous Goods Incidents ONLY (spill, le CHEMTREC 24/7 at: 1-800-424-9300 | eak, fire, exposure or accident), call |
| International | +1 703-741-5970 | |
| 2. Hazard(s) identification | | |
| Physical hazards | Oxidizing solids | Category 3 |
| Health hazards | Acute toxicity, oral | Category 4 |
| | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 2A |
| | Sensitization, respiratory | Category 1 |
| | Sensitization, skin | Category 1 |
| | Specific target organ toxicity, single exposure | Category 3 respiratory tract irritation |
| OSHA defined hazards | Not classified. | |
| Label elements | | |
| | | |
| Signal word | Danger | |
| Hazard statement | May intensify fire; oxidizer. Harmful if swallowe reaction. Causes serious eye irritation. May ca difficulties if inhaled. May cause respiratory irri | ed. Causes skin irritation. May cause an allergic skin ause allergy or asthma symptoms or breathing itation. |
| Precautionary statement | | |

Precautionary statement Prevention

Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.

ResponseIf swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If
inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse
cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation or
rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If
experiencing respiratory symptoms: Call a poison center/doctor. Take off contaminated clothing
and wash before reuse. In case of fire: Use appropriate media to extinguish.

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Storage

None.

3. Composition/information on ingredients

Mixtures

| Chemical name | | CAS number | % |
|--|--|--|--|
| Sodium persulfate | | 7775-27-1 | ≥90 |
| Silicic acid, sodium salt | | 1344-09-8 | ≤10 |
| Composition comments | All concentrations are in percent by weight un | less otherwise indicated. | |
| 4. First-aid measures | | | |
| nhalation | Remove victim to fresh air and keep at rest in artificial respiration if needed. Do not use mou Induce artificial respiration with the aid of a po proper respiratory medical device. If experien or doctor/physician. | uth-to-mouth method if victim in ocket mask equipped with a one | haled the substance. e-way valve or other |
| Skin contact | Remove contaminated clothing immediately a eczema or other skin disorders: Seek medica | | |
| Eye contact | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | | |
| ngestion | Rinse mouth. Never give anything by mouth to convulsions. If vomiting occurs, keep head low Get medical advice/attention if you feel unwel | w so that stomach content does | |
| | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Difficulty in breathing. Skin irritation May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. | | |
| | Provide general supportive measures and tre- under observation. Symptoms may be delaye | | ı warm. Keep victim |
| General information | Take off all contaminated clothing immediatel If you feel unwell, seek medical advice (show personnel are aware of the material(s) involve this safety data sheet to the doctor in attenda | the label where possible). Ensited, and take precautions to prot | ure that medical ect themselves. Show |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water spray, fog (flooding amounts). | | |
| | Do not use water unless flooding amounts are carbon dioxide or other gas filled fire extinguis persulfates. | | |
| Specific hazards arising from the chemical | Greatly increases the burning rate of combus heated. During fire, gases hazardous to healt sulfur oxides. | | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full p | rotective clothing must be worn | in case of fire. |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breather so without risk. Use water spray to cool unoper | e fumes. Move containers from ened containers. | fire area if you can de |
| | Cool containers exposed to flames with water | r until well after the fire is out. A | void dust formation. |
| Specific methods | ocol containere expected to namee with water | | |

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. For personal protection, see section 8 of the SDS.

| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Stop the flow of material, if this is without risk. Spillage collected should be monitored for signs of reaction or decomposition (fuming/smoking). If spilled material is wet, dissolve with large quantity of water. |
|---|---|
| | Large Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Minimize dust generation and accumulation. Following product recovery, flush area with water. |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. |
| | Never return spills to original containers for re-use. Place all material into loosely covered plastic containers for later disposal. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| Precautions for safe handling | Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid contamination. Wear appropriate personal protective equipment (See Section 8). Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Recommended storage temperature: less than 40°C. |

8. Exposure controls/personal protection

Occupational exposure limits

| Components | Туре | Value |
|-----------------------------------|---|--|
| Sodium persulfate (CAS 7775-27-1) | TWA | 0.1 mg/m3 |
| Biological limit values | No biological exposure limits noted | for the ingredient(s). |
| ppropriate engineering ontrols | applicable, use process enclosures, maintain airborne levels below reco established, maintain airborne level sufficient to maintain concentrations | used. Ventilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to mmended exposure limits. If exposure limits have not been s to an acceptable level. If engineering measures are not of dust particulates below the Occupational Exposure Limit n must be worn. Eye wash facilities and emergency shower s product. |
| ndividual protection measures | s, such as personal protective equip | nent |
| Eye/face protection | Use dust-tight, unvented chemical s | afety goggles when there is potential for eye contact. |
| Skin protection | | |
| Hand protection | Wear appropriate chemical resistan Breakthrough time: > 480 minutes. | t gloves. Rubber, neoprene or PVC gloves are recommende |
| Skin protection | | |
| Other | Wear appropriate chemical resistan | t clothing. |
| Respiratory protection | OEL, suitable respiratory protection | ficient to maintain concentrations of dust particulates below t must be worn. Use a NIOSH/MSHA approved respirator if me at levels exceeding the exposure limits. Respirator type: 5. |
| Thermal hazards | Wear appropriate thermal protective | clothing, when necessary. |
| General hygiene onsiderations | clothing promptly. Keep away from measures, such as washing after ha | other combustible materials. Remove and wash contaminat ood and drink. Always observe good personal hygiene indling the material and before eating, drinking, and/or ing and protective equipment to remove contaminants. not be allowed out of the workplace. |

9. Physical and chemical properties

| 9. Physical and chemical p | bropenties |
|--|--|
| Appearance | |
| Physical state | Solid. |
| Form | Free-flowing powder. |
| Color | White. |
| Odor | Odorless. |
| Odor threshold | Not available. |
| рН | 11.5 (10 % solution, 77 °F (25 °C)) |
| Melting point/freezing point | Not determined. |
| Initial boiling point and boiling range | Not determined. |
| Flash point | Not applicable. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Oxidizer. |
| Upper/lower flammability or exp | losive limits |
| Explosive limit - lower (%) | Not determined. |
| Explosive limit - upper (%) | Not determined. |
| Vapor pressure | Not applicable. |
| Vapor density | Not applicable. |
| Relative density | > 1.5 - < 1.8 (68 °F (20 °C)) |
| Solubility(ies) | |
| Solubility (water) | Soluble in water. |
| Partition coefficient (n-octanol/water) | Not applicable, product is a mixture. |
| Auto-ignition temperature | Not determined. |
| Decomposition temperature | Decomposition will occur upon heating. |
| Viscosity | Not available. |
| Other information | |
| Density | Not determined. |
| Kinematic viscosity | Not applicable. |
| 10. Stability and reactivity | |
| Reactivity | Greatly increases the burning rate of combustible materials. |
| | |

| Reactivity | Creatly increases the burning rate of combastible matchais. |
|---------------------------------------|---|
| Chemical stability | Decomposes on heating. |
| Possibility of hazardous reactions | Oxidizing, avoid contact with reducing agents. |
| Conditions to avoid | Heat. Contact with incompatible materials. Avoid dust formation. |
| Incompatible materials | Acids. Bases. Combustible material. Reducing agents. Metals. Organic compounds. |
| Hazardous decomposition products | Oxygen. Sulfur oxides. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | May cause allergy or asthma symptoms or breathing difficulties if inhaled. Dust may irritate respiratory system. |
|--|---|
| Skin contact | Causes skin irritation. May cause an allergic skin reaction. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | Harmful if swallowed. |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash. |

Information on toxicological effects

| Acute toxicity | Harmful if swallowed. | |
|--|---|--|
| Components | Species | Test Results |
| Silicic acid, sodium salt (CAS 134 | 4-09-8) | |
| <u>Acute</u> | | |
| Dermal | | |
| LD50 | Rat | > 5000 mg/kg, 24 Hours |
| Inhalation | | |
| Vapor | | |
| LC50 | Rat | > 2.06 mg/l, 4 Hours |
| Oral | | |
| LD50 | Rat | 3400 mg/kg |
| Sodium persulfate (CAS 7775-27- | -1) | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg |
| Inhalation | | |
| LC50 | Rat | 2950 mg/m³, 4 h |
| Oral | | |
| LD50 | Rat | 300 mg/kg |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye rritation | Causes serious eye irritation. | |
| Respiratory or skin sensitizatio | n | |
| Respiratory sensitization | May cause allergy or asthma symptoms or | breathing difficulties if inhaled. |
| Skin sensitization | May cause an allergic skin reaction. | |
| Germ cell mutagenicity | No data available to indicate product or an mutagenic or genotoxic. | y components present at greater than 0.1% are |
| Carcinogenicity | Not classifiable as to carcinogenicity to hur | nans. |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | |
| Not listed. | | |
| NTP Report on Carcinogen | S | |
| Not listed. | | |
| | ed Substances (29 CFR 1910.1001-1053) | |
| Not listed. | | |
| Reproductive toxicity | This product is not expected to cause repro | oductive or developmental effects. |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. | |
| Specific target organ toxicity - epeated exposure | Not classified. | |
| Aspiration hazard | Not an aspiration hazard. | |
| Chronic effects | Prolonged exposure may cause chronic ef | fects. |
| 12. Ecological information | n | |
| Ecotoxicity | | ntally hazardous. However, this does not exclude the have a harmful or damaging effect on the environment |
| Components | Species | Test Results |

| lt (CAS 1344-09-8) | | | |
|--------------------|-------------------------|----------------------------|---|
| | | | |
| | | | |
| EC50 | Scenedesmus subspicatus | 7.5 mg/l, 72 hours | |
| EC50 | Aquatic Invertebrates | 1700 mg/l, 48 hours | |
| LC50 | Danio rerio | 1108 mg/l, 96 hours | |
| | EC50 EC50 | EC50 Aquatic Invertebrates | EC50Scenedesmus subspicatus7.5 mg/l, 72 hoursEC50Aquatic Invertebrates1700 mg/l, 48 hours |

PersulfOx®

| Components | | Species | Test Results |
|---------------------------------------|--|--|--|
| | | Oncorhynchus mykiss | >= 260 - <= 310 mg/l, 96 hours |
| | NOEC | Fish | 348 mg/l, 96 hours |
| Sodium persulfate (CAS 777 | 5-27-1) | | |
| Aquatic | | | |
| Acute | | | |
| Algae | LC50 | Algae | 320 mg/l, 72 hours |
| Crustacea | EC50 | Abra alba | 11 mg/l, 5 days |
| | | Daphnia magna | 120 mg/l, 48 hours |
| Fish | LC50 | Oncorhynchus mykiss | 76.3 mg/l, 96 hours |
| | | Scophthalmus maximus | 107.6 mg/l, 96 hours |
| ersistence and degradability | The produ | ct contains inorganic compounds whic | h are not biodegradable. |
| oaccumulative potential | No data av | vailable. | |
| obility in soil | No data av | vailable. | |
| her adverse effects | None know | vn. | |
| 3. Disposal consideratio | ons | | |
| sposal instructions | | d reclaim or dispose in sealed containe ontainer in accordance with local/regio | ers at licensed waste disposal site. Dispose of onal/national/international regulations. |
| ocal disposal regulations | Dispose in | accordance with all applicable regulat | tions. |
| azardous waste code | The waste disposal c | | n between the user, the producer and the waste |
| aste from residues / unused oducts | | accordance with local regulations. En This material and its container must be | npty containers or liners may retain some produce disposed of in a safe manner. |
| ontaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container emptied. | | |
| 4. Transport information | า | | |
| от | | | |
| UN number | UN1479 | | |
| UN proper shipping name | Oxidizing | solid, n.o.s. (Sodium persulfate) | |

| | UN number | UN 1479 |
|-----|------------------------------|---|
| | UN proper shipping name | Oxidizing solid, n.o.s. (Sodium persulfate) |
| | Transport hazard class(es) | |
| | Class | 5.1 |
| | Subsidiary risk | - |
| | Label(s) | 5.1 |
| | Packing group | |
| | Environmental hazards | |
| | Marine pollutant | No. |
| | Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| | Special provisions | 62, IB8, IP3, T1, TP33 |
| | Packaging exceptions | 152 |
| | Packaging non bulk | 213 |
| | Packaging bulk | 240 |
| IAT | A | |
| | UN number | UN1479 |
| | UN proper shipping name | Oxidizing solid, n.o.s. (Sodium persulfate) |
| | Transport hazard class(es) | |
| | Class | 5.1 |
| | Subsidiary risk | - |
| | Packing group | |
| | Environmental hazards | No. |
| | ERG Code | 5L |
| | Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| IMD | G | |
| | UN number | UN1479 |
| | UN proper shipping name | OXIDIZING SOLID, N.O.S. (Sodium persulfate) |
| | | |

PersulfOx®

| Transport hazard class(es) | |
|--|---|
| Class | 5.1 |
| Subsidiary risk | - |
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-A, S-Q |
| | Read safety instructions, SDS and emergency procedures before handling. |
| Transport in bulk according to Annex II of MARPOL 73/78 and | Not applicable. |
| the IBC Code | |
| 15. Regulatory information | |
| • | |
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. |
| TSCA Section 12(b) Exp | ort Notification (40 CFR 707, Subpt. D) |
| Not regulated. | |
| 5 | ostance List (40 CFR 302.4) |
| Not listed. | |
| SARA 304 Emergency re | lease notification |
| Not regulated. | |
| | lated Substances (29 CFR 1910.1001-1053) |
| Not listed. | |
| Toxic Substances Control A | ct (TSCA)All components of the mixture on the TSCA 8(b) inventory are designated "active". |
| Superfund Amendments and Rea | authorization Act of 1986 (SARA) |
| SARA 302 Extremely hazard | ous substance |
| Not listed. | |
| SARA 311/312 Hazardous chemical | Yes |
| Classified hazard | Oxidizer (liquid, solid, or gas) |
| categories | Acute toxicity (any route of exposure) Skin corrosion or irritation |
| | Serious eye damage or eye irritation |
| | Respiratory or skin sensitization |
| | Specific target organ toxicity (single or repeated exposure) |
| SARA 313 (TRI reporting) | |
| Not regulated. | |
| Other federal regulations | |
| Clean Air Act (CAA) Section | |
| | 112 Hazardous Air Pollutants (HAPs) List |
| Not regulated. | |
| Not regulated. Clean Air Act (CAA) Section | 112 Hazardous Air Pollutants (HAPs) List 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. Clean Air Act (CAA) Section Not regulated. | 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. Clean Air Act (CAA) Section | |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act | 112(r) Accidental Release Prevention (40 CFR 68.130) |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su Not regulated. | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su Not regulated. US. New Jersey Worker and | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Ibstance List Community Right-to-Know Act |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su Not regulated. US. New Jersey Worker and Sodium persulfate (CAS 7 | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Ibstance List Community Right-to-Know Act |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su Not regulated. US. New Jersey Worker and Sodium persulfate (CAS 7 | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Ibstance List Community Right-to-Know Act 775-27-1) |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su Not regulated. US. New Jersey Worker and Sodium persulfate (CAS 7 US. Pennsylvania Worker and | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Ibstance List Community Right-to-Know Act 775-27-1) |
| Not regulated. Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - Su Not regulated. US. New Jersey Worker and Sodium persulfate (CAS 7 US. Pennsylvania Worker an Not listed. | 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Ibstance List Community Right-to-Know Act 775-27-1) |

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

| Issue date | 12-February-2015 |
|---------------|---|
| Revision date | 07-February-2023 |
| Version # | 05 |
| HMIS® ratings | Health: 2* Flammability: 0 Physical hazard: 1 Personal protection: I |
| NFPA ratings | 2 0 2 0x |
| References | ACGIH Documentation of th |

| References | ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity Japan Chemical Industry Association (JCIA) GHS Guideline, June 2019 National Toxicology Program (NTP) Report on Carcinogens |
|------------|--|
| Disclaimer | Regenesis cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. |