SAFETY DATA SHEET



1. Identification

Product identifier PersulfOx® SP

Other means of identification None.

Recommended use Soil and Groundwater Remediation.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name REGENESIS

Address 1011 Calle Sombra

San Clemente, CA 92673 USA

General information 949-366-8000

E-mail CustomerService@regenesis.com

Emergency phone number For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call

CHEMTREC 24/7 at:

USA, Canada 1-800-424-9300 **International** +1 703-741-5970

2. Hazard(s) identification

 Physical hazards
 Oxidizing solids
 Category 3

 Health hazards
 Acute toxicity, oral
 Category 4

 Skin corrosion/irritation
 Category 2

 Serious eve damage/eve irritation
 Category 3

Not classified.

Serious eye damage/eye irritation Category 2A
Sensitization, respiratory Category 1
Sensitization, skin Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards

Label elements



Signal word Danger

Hazard statement May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. May cause an allergic skin

reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing

difficulties if inhaled. May cause respiratory irritation.

Precautionary statement

Prevention Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any

precaution to avoid mixing with combustibles. Avoid breathing dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a

well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/eye protection/face protection. In case of inadequate ventilation wear respiratory

protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If

inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Take off contaminated clothing

and wash before reuse. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

923740 Version #: 03 Revision date: 15-July-2022 Issue date: 26-February-2015 1 / 8

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium persulfate	7775-27-1	≥98
Silicic acid, sodium salt	1344-09-8	≤2

Composition comments

All concentrations are in percent by weight unless otherwise indicated.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

Eye contact

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Irritation of eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water spray, fog (flooding amounts).

Do not use water unless flooding amounts are available. Material reacts with water. Do not use carbon dioxide or other gas filled fire extinguishers; they will have no effect on decomposing persulfates.

Specific hazards arising from the chemical

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed. Combustion products may include: sulfur oxides.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

Specific methods

General fire hazards

Cool containers exposed to flames with water until well after the fire is out. Avoid dust formation.

May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

PersulfOx® SP SDS US

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Stop the flow of material, if this is without risk. Spillage collected should be monitored for signs of reaction or decomposition (fuming/smoking). If spilled material is wet, dissolve with large quantity of water.

Large Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Minimize dust generation and accumulation. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Place all material into loosely covered plastic containers for later disposal. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid contamination. Wear appropriate personal protective equipment (See Section 8). Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS). Recommended storage temperature: less than 40°C.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Sodium persulfate (CAS 7775-27-1)	TWA	0.1 mg/m3	

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection	Use dust-tight, unvented chemical safety goggles when there is potential for eye contact.

Skin protection

Hand protectionWear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Frequent change is advisable. Rubber, neoprene or PVC gloves are recommended.

Skin protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Respirator type: approved respirator with P100 filters.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

PersulfOx® SP SDS US

9. Physical and chemical properties

Appearance

Solid. Physical state

Free-flowing powder. **Form**

Color White. Odor Odorless. **Odor threshold** Not available.

11 (10% solution/water) pН

Melting point/freezing point Not determined. Initial boiling point and boiling Not determined.

range

Flash point Not applicable. **Evaporation rate** Not available. Oxidizer. Flammability (solid, gas) Upper/lower flammability or explosive limits

Not determined. Explosive limit - lower (%) Explosive limit - upper (%) Not determined. Vapor pressure Not available. Vapor density Not available. 1.5 - 1.8 Relative density

Solubility(ies)

Not available. Solubility (water) No data available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not determined.

Decomposition will occur upon heating. **Decomposition temperature**

Not available. **Viscosity**

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Decomposes on heating.

Possibility of hazardous

reactions

Oxidizing, avoid contact with reducing agents.

Heat. Contact with incompatible materials. Avoid dust formation. Conditions to avoid

Acids. Bases. Combustible material. Reducing agents. Metals. Organic compounds. Incompatible materials

Hazardous decomposition

products

Oxygen. Sulfur oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause allergy or asthma symptoms or breathing difficulties if inhaled. Dust may irritate

respiratory system.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Causes eye irritation. Eye contact Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Harmful if swallowed

PersulfOx® SP SDS US

923740 Version #: 03 Revision date: 15-July-2022 Issue date: 26-February-2015 Components Species Test Results

Silicic acid, sodium salt (CAS 1344-09-8)

Acute Dermal

LD50 Rat > 5000 mg/kg, 24 Hours

Inhalation

Vapor

LC50 Rat > 2.06 mg/l, 4 Hours

Oral

LD50 Rat 3400 mg/kg

Sodium persulfate (CAS 7775-27-1)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 2950 mg/m³, 4 h

Oral

LD50 Rat 300 mg/kg

Skin corrosion/irritation
Serious eye damage/eye

irritation

Causes skin irritation. Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** Silicic acid, sodium salt (CAS 1344-09-8) Aquatic Acute EC50 Scenedesmus subspicatus Algae 7.5 mg/l, 72 hours Crustacea EC50 Aquatic Invertebrates 1700 mg/l, 48 hours Fish LC50 Danio rerio 1108 mg/l, 96 hours

PersulfOx® SP SDS US

Oncorhynchus mykiss

>= 260 - <= 310 mg/l, 96 hours

Test Results Components **Species** Fish 348 mg/l, 96 hours NOEC Sodium persulfate (CAS 7775-27-1) Aquatic Acute Algae LC50 Algae 320 mg/l, 72 hours Crustacea EC50 Abra alba 11 mg/l, 5 days Daphnia magna 120 mg/l, 48 hours Fish LC50 Oncorhynchus mykiss 76.3 mg/l, 96 hours Scophthalmus maximus 107.6 mg/l, 96 hours

Persistence and degradability

The product solely consists of inorganic compounds which are not biodegradable.

Bioaccumulative potential No data available. Mobility in soil No data available. Other adverse effects None known.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN1505 **UN** number

UN proper shipping name

Transport hazard class(es)

Sodium persulfate

Class 5.1 Subsidiary risk Label(s) 5.1 Packing group Ш

Environmental hazards

Marine pollutant No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A1, IB8, IP3, T1, TP33

152 Packaging exceptions 213 Packaging non bulk 240 Packaging bulk

IATA

UN number UN1505

Sodium persulphate **UN proper shipping name**

Transport hazard class(es)

5.1 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 5L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1505

SODIUM PERSULPHATE **UN proper shipping name**

PersulfOx® SP SDS US Transport hazard class(es)

Class 5.1 Subsidiary risk -Packing group III

Environmental hazards

Marine pollutant No. EmS F-A, S-Q

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not applicable.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)All components of the mixture on the TSCA 8(b) inventory are designated

"active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Oxidizer (liquid, solid, or gas)

categories Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Sodium persulfate (CAS 7775-27-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

PersulfOx® SP SDS US

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Taiwan Chemical Substance Inventory (TCSI)

16. Other information, including date of preparation or last revision

26-February-2015 Issue date **Revision date** 15-July-2022

Version # 03

HMIS® ratings Health: 2*

Flammability: 0 Physical hazard: 1 Personal protection: I

NFPA ratings

Taiwan



Disclaimer

Regenesis cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

PersulfOx® SP

Issue date: 26-February-2015

Yes